

# **Διάστημα 2016 - Προκλήσεις και Προοπτικές**

## **Αθήνα, 27 Ιανουαρίου 2016**

**0800 ΠΡΟΣΕΛΕΥΣΗ - ΕΓΓΡΑΦΕΣ**

**0830**

**0830 ΧΑΙΡΕΤΙΣΜΟΙ – ΕΝΑΡΞΗ ΕΡΓΑΣΙΩΝ ΗΜΕΡΙΔΑΣ**

**0900**

**0900 - 1<sup>η</sup> Ενότητα: Διεθνές και Εθνικό Θεσμικό Πλαίσιο**

1045

- Ευρώπη και Ελλάδα: Φορείς, Πολιτική και Πρόγραμμα για το Διάστημα (**Αλέξανδρος ΚΟΛΟΒΟΣ** - *Επίκουρος Καθηγητής Διαστημικής Τεχνολογίας, Σχολή Ικάρων*)
- GOVESATCOM - (**Παναγιώτης ΠΑΥΛΙΔΗΣ** - *ΓΕΕΘΑ/Δνση Επικοινωνιών*)
- Θεσμικό πλαίσιο δορυφορικών συστημάτων (**Γεώργιος ΣΥΝΝΕΦΑΚΗΣ** - *Προϊστάμενος Τμήματος Δορυφορικών Επικοινωνιών, Υ.ΥΠΟ.ΜΕ.ΔΙ.*)
- Συμβολή των Δορυφορικών Συστημάτων στην Έρευνα και Διάσωση (*Υποπλοίαρχος ΛΣ (Τ) Χρήστος ΖΑΧΑΡΑΚΟΠΟΥΛΟΣ* - *Λιμενικό Σώμα-Ελληνική Ακτοφυλακή*)
- Ο ρόλος του Διαστήματος στην προσαρμογή των Ενόπλων Δυνάμεων στην Κλιματική Αλλαγή: Η περίπτωση της Ελλάδος - (*Σμήναρχος (ΜΕ) Γεώργιος ΔΡΟΣΟΣ*, - *Διευθυντής Τμήματος Υποδομής & Περιβάλλοντος ΥΠΕΘΑ (ΓΔΟΣΥ/ΔΙΣΤΥ)*)

**ΔΙΑΛΕΙΜΜΑ (Καφές)**

**1100 - 2<sup>η</sup> Ενότητα: Οι Εφαρμογές**

1245

- Hellas Sat: Η προοπτική ανάπτυξης από τις 39 μοίρες Ανατολικά (**Θωμάς ΚΑΛΑΜΑΡΗΣ** - *Τεχνικός Διευθυντής HELLAS SAT*)
- Διαστημικό Κέντρο Διαχείρισης Φυσικών Καταστροφών «Beyond» - (**Χάρης ΚΟΝΤΟΕΣ** - *Εθνικό Αστεροσκοπείο Αθηνών*)
- Δορυφορικό Σύστημα Helios II και Δορυφορικός Σταθμός Εδάφους - (**Νικόλαος ΤΣΟΔΟΥΛΟΣ** - *Διευθυντής Κέντρου Εκμετάλλευσης Δορυφορικού Σταθμού Εδάφους, ΓΕΕΘΑ/Ε' ΚΛ/ΔΣΕ*)
- EUMETSAT: Επιχειρησιακή Λειτουργία των Μετεωρολογικών Δορυφόρων στην Εθνική Μετεωρολογική Υπηρεσία - (**Ιωάννης ΜΑΤΣΑΓΚΟΥΡΑΣ** - *ΥπΕΘΑ/EMY*)
- Εφαρμογή των τεχνικών εικονικοποίησης στα δορυφορικά δίκτυα, για την βελτίωση των επιδόσεών τους (**Τάσος ΚΟΥΡΤΗΣ** - *Διευθυντής Ερευνών Ινστιτούτου Πληροφορικής και Τηλεπικοινωνιών, ΕΚΕΦΕ ΔΗΜΟΚΡΙΤΟΣ*)
- Χρήση Δορυφόρων στο πλαίσιο του Ευρωπαϊκού Ερευνητικού έργου AIRBEAM - Airborne information for Emergency situation Awareness and Monitoring (**Βασίλειος ΚΑΣΟΥΡΑΣ** - *Επιστημονικός Συνεργάτης ΚΕ.ΜΕ.Α)*

**ΔΙΑΛΕΙΜΜΑ (Ελαφρύ Γεύμα)**

**1330 - 3<sup>η</sup> Ενότητα: Ερευνητικές Δράσεις στην Ελλάδα**

1530

- Η Ευρωπαϊκή Πολιτική στην Έρευνα
- Ελληνική Βιομηχανία Διαστήματος: Διανύοντας μια περίοδο τεχνολογικής ωριμότητας με σημαντικές μελλοντικές προοπτικές ανάπτυξης (**Αθανάσιος ΠΟΤΣΗΣ** - *Ένωση Ελληνικών Βιομηχανιών Διαστημικής Τεχνολογίας & Εφαρμογών*)
- Εθνικό Πρόγραμμα Μικρών Δορυφόρων (**Αιθων ΝΑΡΛΗΣ** - *Ελληνική Αεροπορική Βιομηχανία*)
- Δορυφόροι και Εμπορική Ναυτιλία: εφαρμογές και έρευνα (**Νικήτας ΝΙΚΗΤΑΚΟΣ** - *Καθηγητής Πανεπιστημίου Αιγαίου, Πλοίαρχος ΠΝ (εα)*)
- Ευκαιρίες διεθνούς συνεργασίας σε Τεχνολογία-Επιχειρηματικότητα-Έρευνα. HORIZON 2020, Ευρωπαϊκό πλαίσιο για την χρηματοδότηση της έρευνας και της καινοτομίας (**Κωνσταντίνος ΚΑΡΑΜΑΝΗΣ** - *Εθνικό Σημείο Επαφής για το ΔΙΑΣΤΗΜΑ στο HORIZON 2020 & Enterprise Europe Network, Δίκτυο ΠΡΑΞΗ*)

**1530 ΣΥΜΠΕΡΑΣΜΑΤΑ ΗΜΕΡΙΔΑΣ**

**1615**

**Κλείσιμο Εκδήλωσης**



# BEYOND, European Center of Excellence for EO based Disaster Management

The European Centre of Excellence for  
Observation based monitoring of Natural Disasters  
South-East Europe



*Building a Centre of Excellence for  
EO-based monitoring of Natural Disasters*

Funded under FP7-REGPOT-2012-2013-1


Activity: 4.1 *Unlocking and developing the research potential of the research entities established in the EU's Convergence regions and Outermost regions*



Διάστημα 2016 - Προκλήσεις και Προοπτικές- AFCEA HELLENIC CHAPTER,  
Αθήνα, 27 Ιανουαρίου 2016



# BEYOND, European Center of Excellence for EO based Disaster Management



Διάστημα 2016 - Προκλήσεις και Προοπτικές- AFCEA HELLENIC CHAPTER, Αθήνα, 27 Ιανουαρίου 2016



- **BEYOND** aspires to setting up innovative solutions for EO, allowing to a multitude of monitoring networks (space borne and in-situ) available over the region to operate in a complementary, unified, and coordinated manner
- **BEYOND** builds innovative research and skills capacity in the domain of EO through scientific exchange with European and regional partnering organisations
- **BEYOND** transforms the observations to added value products ready for down-streaming to specific societal needs in the domain of environmental monitoring and Natural Disasters
- **BEYOND** delivers online observations and higher level EO products and services to stakeholders, and international scientific and End User communities

**Funding:** 2.3 MEuros EC Contribution

**Additional funding from Structural Funds ~270KEuros**




# BEYOND, European Center of Excellence for EO based Disaster Management

LDA Large-scale demonstrators in support of GMES and GNSS based services in Athens, Greece, GMES/DG ENTR

MASSIVE: Mapping Seismic Vulnerability and Risk of Cities, European Commission - DG ENV A.3 – Civil Protection

**TELEIOS—Virtual Observatory Infrastructure for Earth Observation Data, FP7-ICT-2009-5**

**LIMES (Land and Sea Integrated Monitoring for European Security/GMES / EC DG Enterprise**



RISK-EOS Extension to Greece - Promotion of the GSE RISK-EOS fire services portfolio in Greece, EarthWatch GMES Services Elements, ESA/GSE


MARCOAST/ISSUE-OS - Integrated system for suspect vessels emergency tracking – OIL SPILLS



Διάστημα 2016 - Προκλήσεις και Προοπτικές- AFCEA HELLENIC CHAPTER, Αθήνα, 27 Ιανουαρίου 2016




# BEYOND, European Center of Excellence for EO based Disaster Management



## Setting up integrated satellite based observational solutions

X-/L- band acquisition station for (EOS Aqua and Terra, NPP, JPSS, NOAA, Met Op, FengYun) (part of the DB network)



IAASARS/NOA X-/L-band Acquisition station



## Setting up integrated satellite based observational solutions

➤ **MSG SEVIRI acquisition stations of DVB-S & DVB-S2 systems exploiting high throughput provided with the new EUMETCast Europe service, based on using the EUTELSAT 10A (part of EUMETSAT's network)**

➤ **Access to NOA's in-situ monitoring seismological, magnetometer, and GPS networks**




**IAASARS/NOA MSG SEVIRI  
Acquisition station DVB-S2**

➤ **Develop and Operate of NOA's Collaborative Ground Segment (Hellenic Sentinel Data Hub-**

**Activity in the framework of the  
COPERNICUS PROGRAM  
The EUROPEAN EARTH OBSERVATION FLAGSHIP  
PROGRAM (EU/ESA)**

<http://www.copernicus.eu/>

- a **GSC Core Ground Segment**, with **GSC-funded Functions and Elements**, providing :
  - the primary access to Sentinel Missions data as well as
  - the coordinating access functions to Contributing Missions data



Hellenic Sentinel Data Hub- Mirror Site

Διάστημα 2016 - Προκλήσεις και Προοπτικές- AFCEA HELLENIC CHAPTER, Αθήνα, 27 Ιανουαρίου 2016

# Sentinel-1A/2A passes in IWS mode (250 km swath)



OFFICIAL ANNOUNCEMENT OF  
HELLENIC MIRROR SITE  
ATHENS SPACE EXPO:  
28 MARCH – 5 APRIL

[HTTP://SENTINELS.SPACE.NOA.GR](http://SENTINELS.SPACE.NOA.GR)



Διάστημα



Google earth  
Eye alt: 6599 23 km



Project funded by the  
EUROPEAN UNION





Operation of the mobile lidar of ESA by IAASARS



Development of a state-of-the-art multi-wavelength lidar to be installed in Crete (FKL), in the framework of the BEYOND project, part of the EARLINET network.



# **ACHIEVEMENTS – EO SERVICES**



**Διάστημα 2016 - Προκλήσεις και Προοπτικές- AFCEA HELLENIC  
CHAPTER, Αθήνα, 27 Ιανουαρίου 2016**



# BEYOND, European Center of Excellence for EO based Disaster Management

Service	Status	End Users	Scale	
<b>EMERGENCY RESPONSE/EMERGENCY SUPPORT-METEO RELATED HAZARDS</b>				
Real Time Fire Monitoring	Operational GMES Standard	Fire Brigades, Civil Protection, Public, Private Sector	National Regional	Delivered
Rapid Fire Mapping	Operational GMES Standard	Fire Brigades, Civil Protection, Forestry Services, Min of Env	Regional Local	Delivered
Disaster Event Mapping & Damage Ass.	Operational GMES Standard	Forestry Services, Min of Env (DG for Nat. Vegetation/Forest Protection)	Local	Delivered
Seasonal/Diachronic Fire Mapping & Damage Ass.	Operational GMES Standard	Forestry Services, Min of Env (DG for Nat. Vegetation/Forest Protection, Cadastral Org, Fire Brigades)	National	To be Delivered as V1.0 in 2014
Wild Fire Smoke Dispersion	Research/Preoperational	Fire Brigades, Civil Protection, Min of Env	Regional Local	To be Delivered as V1.0 in 2015-2016
Saharian Dust Episodes	Research/Preoperational	Civil Protection, Min of Env, Public	National	To be Delivered as V1.0 in 2015-2016
Flood Risk	Research/Preoperational	National Electric Power Org, Min of Development, Local Authorities, Civil Protection	Regional Local	To be Delivered as V1.0 in 2015-2016
Heat Waves Risk	Research/Preoperational	Min of Public Health, Local Authorities, Medical Science	Local	To be Delivered as V1.0 in 2015-2016



EMERGENCY RESPONSE/EMERGENCY SUPPORT- GEO-HAZARDS				Delivered
Earthquake related crustal deformation field	Operational GMES Standard	Anti-seismic Planning & Protection Org, EQ Scientists	Local	
Volcano related surface velocity field	Operational GMES Standard	Anti-seismic Planning & Protection Org, Local Authorities, EQ Scientists	Local	
Landslide related surface velocity field	Research	Anti-seismic Planning & Protection Org, Local Authorities, Entrepreneurs, Civ. Eng, Geologists	Local	
ATMOSPHERIC DISTURBANCES - CLIMATOLOGY				
3D-Climatology	Operational GMES Standard	Cal/Val Industry, Global Atm Monitoring Networks	Global	To be Delivered as V1.0 in 2014
Atmospheric Episodes	Research	Cal/Val Industry, Global Atm Monitoring Networks,	Local	
LULC CHANGE MONITORING – UAV / AIRBORNE / SATELLITE				
Urban Mapping	Operational GMES Standard	World Bank, EIB, Min of Env, Cadastral Org	Local	To be Delivered as V1.0 in 2015-2016
UAV Damage Recording	Research/ Preoperational	Anti-seismic Planning and Protection Organisation	Local	
Ecosystem Monitoring and Mapping (Forests/Wetlands)	Operational	Min of Env, Hellenic Biotope & Wetlands Center, Cadastral Org	National Regional	





## "FireHub: A Space Based Fire Management Hub "




Διάστημα 2016 - Προκλήσεις και Προοπτικές- AFCEA HELLENIC CHAPTER, Αθήνα, 27 Ιανουαρίου 2016




# “FireHub: A Space Based Fire Management Hub ”

The service consists of three pillars:

1. The real-time fire detection and monitoring application
2. The large scale Burnt Scar Mapping during and after wildfires and the Diachronic BSM
3. The fire smoke dispersion forecasting tool



Raw resolution: 3.5x3.5 km wide pixel over entire



Refined resolution: 0.5x0.5 km wide pixel over entire Greece


## CLASSIFICATION PROCESS

**Classification #1:** The EUMETSAT Fire mapping algorithm (FIR) based on fixed thresholding approach, applied on the spectral bands **IR 3.9** and **IR10.8**.

**Classification enhancement # 1:** The thresholds are dynamically changing calculated for each image and every pixel location on the basis of the seasonally variations and time depended Solar Zenith Angle.

**Classification enhancement # 2 :** Create and integrate classification evidence through geo-spatial ontology schemes and reasoning queries, accounting for the


- a) thematic consistency by eliminating false alarms, and
- b) account for the time persistence of the fire observations



## CLASSIFICATION PROCESS

**Classification enhancement # 3:** Downscaling the first classification output and calculate the fire occurrence probability in sub-areas of 500 m x 500 m wide, inside the initial observation area of 3.5km x 3.5 km, accounting for the real meteorological, physical / ecological, and morphological conditions in the affected area such as,

**a)** Wind conditions (speed/direction), **b)** Fuel types and fuel type's proneness to fire, **c)** Altitudinal zone, **d)** Slope and Aspect elements of each of the 500m x500m area.




## Regional Real Time Fire Monitoring - NOA's MSG SEVIRI Station



**SEVIRI MIR 070823\_1030 UTC**



Results @ 150 minutes after fire ignition



**BEYOND, European Center of Excellence for EO based Disaster Management**

The screenshot shows a real-time satellite imagery of the Iberian Peninsula and surrounding regions. A prominent dark plume of smoke is visible over the Atlantic Ocean to the west. In the center of the landmass, a red polygon highlights a specific area of interest. The map includes a legend for EUMETSAT, MAMAKO, SWoFS, emes, strabon, and Google Earth. A sidebar on the left provides status information: Mode (Archive), Beginning Time (2013-07-27 09:00:00 CMT), End Time (2013-07-27 10:00:00 GMT), Total MAFSpots (877), and Latest MAFSpots (2013-07-27 09:40). On the right, a box displays 'Demonstration of the "Real-time fire detection" functionality' and the local time 'Local Time: 27-07-2013 13:10'. A table titled 'Snapshot Query Data' lists several entries:

ID	RANK	Municipality	DIM	Sensor	Conf.
757061	99	Δ. Pefkes	2013-07-27 13:10:00	M932_RSS	1.90001
757061	99	Δ. Pefkes	2013-07-27 13:10:00	M932_RSS	1.968019
757061	99	Δ. Pefkes	2013-07-27 13:10:00	M932_RSS	1.90002
757061	99	Δ. Pefkes	2013-07-27 13:10:00	M932_RSS	1.988454
757061	99	Δ. Pefkes	2013-07-27 13:10:00	M932_RSS	1.90002
759981	99	Δ. Pefkes	2013-07-27 13:10:00	M932_RSS	1.90002
759981	99	Δ. Pefkes	2013-07-27 13:10:00	M932_RSS	1.750441
757061	99	Δ. Pefkes	2013-07-27 13:10:00	M932_RSS	1.988448

At the bottom, a footer reads 'Fire Monitoring Service based on MSG SEVIRI' and 'View 1 - 388 of 388'.


## FLEXPART - NOA

### Biomass Burning (Organic Carbon – OC)


Valid Date: 26-08-2007 0900UTC

Model layer: Integrated Column

(ng m<sup>-3</sup>)





20°E 22°E 24°E 26°E 28°E



0 10 20 30 40 50 60 70 80 90 100

## FLEXPART - NOA Biomass Burning (Organic Carbon -OC)

valid date: 24-08-2011 09UTC  
Model layer: Integrated Column (ng m<sup>-3</sup>)





EXPART NOA  
Biomass Burning (Organic Carbon -OC)  
date: 24-8-2011 09UTC

ng m<sup>-3</sup>

0:00 UTC


## FLEXPART - NOA Biomass Burning (Organic Carbon -OC)

valid date: 24-08-2011 10UTC  
Model layer: Integrated Column (ng m<sup>-3</sup>)



FLEXPART NOA  
Biomass Burning (Organic Carbon -OC)  
valid date: 24-8-2011 10UTC

ng m<sup>-3</sup>



0.0 2.0 4.0 6.0 8.0

40.46, 25 40.58, 25.27 40.71, 25.54 40.83, 25.82 40.96, 26.1


40.46, 25 40.58, 25.27 40.71, 25.54 40.83, 25.82 40.96, 26.1




BEYOND

FireHub

# BEYOND, European Center of Excellence for EO based Disaster Management





- 1) More than 650 Landsat TM images acquired over Greece in the period 1984-2013 residing on USGS archives were downloaded and processed fully automatically using the NOA processing chain.
- 2) Yearly maps of Burned Areas have been produced
- 3) Yearly statistics per land cover type and administrative data have been generated
- 4) On-line dissemination of the produced maps and statistics through the NOA's dedicated web interface



**BEYOND, European Center of Excellence for EO based Disaster Management**

The figure shows a screenshot of the SEVIRI Monitor - NOA GIS web application. The main view is a satellite map of the Eastern Mediterranean region, specifically focusing on the Greek islands (Crete, Rhodes, etc.) and surrounding areas. A large red watermark with the URL "http://ocean.space.noa.gr/FireHub" is overlaid diagonally across the map. In the top right corner, there is a "Status Info" box displaying various parameters: Mode (Archive), Beginning Time (2012-08-21T21:00:00 GMT), End Time (2012-08-27T21:00:00 GMT), Total #HotSpots (236), and Latest #HotSpots. Below the map, a table lists 14 detected hotspots, each with a rank, municipality, duration, ignition time, and end time. At the bottom left, there is a "Fire Monitoring Service based on MSG SEVIRI" section with a timeline for "Year & 2012 Month of Reference" (May to Sep) and buttons for "Realtime" and "Archive". On the right side, there are two "Geotype" sections: one for "Population" (Athens, Larissa, Chania, Tripoli) and one for "Mountains" (Olympus, Parnassos, Kalambaka, Pelion). There is also a "Geotype" section for "Islands" (N. Crete, N. Rhodes, N. Andros, N. Thira, N. Ios, N. Santorini). The bottom navigation bar includes links for "FP7 Calls > Co... REGPOT FP7 Esa Geotrium Afira Ekiga Microsoft Of... Adobe Acro... Microsoft Of... SEVIRI Monitor..." and "Powered by LinfNet 3:04 μ 14/9/2012".

RANK	Municipality	Duration	Ignition	End
0	ΔΗΜΟΣ ΚΥΜΗΣ-ΑΛΙΒΕΡΟΥ	27.25	2012-08-24T23:10:00	2012-08-26T02:20:00
2	ΔΗΜΟΣ ΚΥΜΗΣ-ΑΛΙΒΕΡΟΥ	26.17	2012-08-25T01:45:00	2012-08-26T03:50:00
4	ΔΗΜΟΣ ΚΥΜΗΣ-ΑΛΙΒΕΡΟΥ	17.83	2012-08-25T10:15:00	2012-08-26T04:00:00
5	ΔΗΜΟΣ ΚΥΜΗΣ-ΑΛΙΒΕΡΟΥ	17.75	2012-08-25T10:15:00	2012-08-26T03:55:00
6	ΔΗΜΟΣ ΚΥΜΗΣ-ΑΛΙΒΕΡΟΥ	11.83	2012-08-25T10:10:00	2012-08-25T21:55:00
10	ΔΗΜΟΣ ΚΥΜΗΣ-ΑΛΙΒΕΡΟΥ	11.83	2012-08-25T10:10:00	2012-08-25T21:55:00
12	ΔΗΜΟΣ ΚΥΜΗΣ-ΑΛΙΒΕΡΟΥ	10	2012-08-25T00:55:00	2012-08-25T10:50:00
13	ΔΗΜΟΣ ΚΥΜΗΣ-ΑΛΙΒΕΡΟΥ	16.33	2012-08-25T10:20:00	2012-08-26T02:35:00
14	ΔΗΜΟΣ ΚΥΜΗΣ-ΑΛΙΒΕΡΟΥ	10.67	2012-08-25T12:40:00	2012-08-25T23:15:00





# National Observatory of Athens

*Continuous offer to the Scientific Research since 1842*

Greek General Secretariat for Research and Technology

Event  
Logo

<http://ocean.space.noa.gr/bsm>

**DIACHRONIC INVENTORY OF FOREST FIRES OVER  
GREECE FROM 1984 TO PRESENT, WITH USE OF  
LANDSAT 4,5,7 SATELLITE DATA**

URL: <http://www.noa.gr>

## *BEYOND for flood monitoring*

The screenshot shows the BEYOND project website. At the top, there's a banner with the BEYOND logo and the text "Building a Centre of Excellence for EO-based monitoring of Natural Disasters". Below the banner is a navigation menu with links to Home, Project, Infrastructure, People, Partners, Outreach, Announcements, Multimedia, Beyond Share, and Events. On the left, there's a sidebar for "NATURAL DISASTER SERVICES" with categories like Fires, Floods (selected), Overviews, Case Studies, Floods, Observatories, Urban Environment, Geophysical, Atmospheric, Weather, UAV-Based Recording, and LOSOS. The main content area shows a sub-menu for Floods with "OVERVIEW" selected. The "OVERVIEW" section contains text about the definition of flooding, its causes, and the project's goals for flood risk management. It also mentions the establishment of a Flood Observatory and a collaboration with PPC S.A. for hydrological studies. The right side of the page features a "SEARCH" bar, a "PROJECT MEETINGS" section with links to EARLINET and KO Athens meetings, and a "BEYOND NEWSLETTERS" section with links to newsletters No. I and No. II.

**NATURAL DISASTER SERVICES**

- FIRE
- FLOODS**
- OVERVIEW
- CASE STUDIES
- FLOODS
- OBSERVATORY

- URBAN ENVIRONMENT
- GEOPHYSICAL
- ATMOSPHERIC
- WEATHER
- UAV-BASED RECORDING
- LOSOS

**FLOODS**

**OVERVIEW**

Flood is defined as 'a covering by water of land not normally covered by water' in the European Union Floods Directive 2007/60/EC. Human activities, such as agriculture, urban development, industry and tourism, contribute to an increase in the likelihood and adverse impacts of flood events. It is thus important to establish flood risk management plans focused on prevention, protection and preparedness.

The ultimate goal of the Flood Hazard activities in BEYOND is to reduce and manage the risks that floods pose to human health, the environment, cultural heritage and economic activity. In this direction, we select river basins at high risk of flooding, we study the hydraulic behaviour of the river, and we proceed to the flood modelling validation and enhancement with the integration of satellite optical and radar data.

In the context of the implementation of BEYOND, we have established the [FLOODS OBSERVATORY](#) where we register all the flood events in Greece and we publish the results we produce following process of satellite optical and radar images.

NOA has also established cooperation with the Public Power Corporation S.A. (PPC S.A.), as there is a mutual interest in cooperation in the field of the study of floods to develop a methodology for monitoring and management of flood risks. The contribution of PPC S.A. will cover the provision of relevant expertise and data derived from the processing of the measurements of the hydrometeorological network operated by PPC S.A., and/or data relating to the management of the hydrological basins under study. This cooperation will allow the improved adjustment and calibration of the hydrological models which are to be operated by the IAASARS/NOA, as well as the development of a methodology that will provide reliable observations to the services of PPC S.A. in the future. Our first area of interest is Arachthos river basin, a river with several flood events, very close to the city of Arta, where PPC is operating a large hydroelectric plant.

**SEARCH**


**PROJECT MEETINGS**

- > Joint EARLINET: GA/ACTRIS Limassol, Cyprus 25-29 November 2013
- > KO Athens 2013-07-18

**BEYOND NEWSLETTERS**

- > Newsletter No. I
- > Newsletter No. II

We have established the **BEYOND Floods Observatory** where we register all the major flood events in Greece and South-Eastern Europe.





## ***BEYOND Floods Early Warning System***


This cooperation allows the improved adjustment and calibration of the hydrological and hydraulic models which are operated by NOA, as well as the development of a methodology that will provide reliable products and services to PPC S.A.

### **CASE STUDY:**



The first case study is the river basin of Arachthos, a river with several flood events, upstream of the city of Arta, where PPC S.A. is operating two hydroelectric plants:  
1) a large one known as Pournari I (effective capacity of reservoir 303 million m<sup>3</sup>)  
2) a smaller one known as Pournari II (effective capacity of reservoir 4 million m<sup>3</sup>).



## BEYOND's Floods Monitoring Service for Arachthos river basin




# BEYOND NRT Flood Extend Assessment



Sentinel-1 based  
flood monitoring  
and mapping  
service in  
**BEYOND Floods  
Observatory**

April 2015 flood  
extent maps in  
North Greece  
produced by  
automatic  
ingestion and  
processing of  
satellite radar  
images in RT



## Geophysical hazards

Data & methods tier

NSN

ENIGMA

NOANET

In-situ

Earth Observation - SAR Interferometry

Services tier

Geodesy

Modeling

Hazard assessment

Large scale processing

Applications tier

Volcanoes

Tectonics

Landslides

Subsidence

Users tier

# WEB GIS



# Geohazard services - An overview

Service	Status	Input data	Scale
Mapping of large-scale ground velocities & 3D decomposition	Operational	SAR, GPS	National
Estimation of earthquake 3D crustal deformation	Operational	multi-angle SAR, GPS	Local
Seismic risk estimation	pre-operational	SAR, in-situ, GIS	Local
Mapping of tectonic hazard areas in subduction zones	Research	SAR, GPS	Regional
Monitoring of volcanic activity	Operational	SAR, GPS, in-situ	Local
Detection of new landslides	Operational	SAR	Local
Update of landslide inventory maps	pre-operational	SAR, in-situ	Local
Estimation of landslide susceptibility	pre-operational	SAR, in-situ, GIS	Local
Estimation of landslide hazard	Research	SAR, in-situ, GIS	Local
Detection of subsidence in urban & peri-urban areas due to manmade activities & physical processes	Operational	SAR, GPS	Local
Monitoring of construction activities in urban environment	Operational	SAR, GPS	Local

# Earthquakes – Cephalonia case

## Data



- NSN
- NOANET
- ENIGMA
- In-situ

## Services

- Geodesy
- Modeling
- Hazard Ass.
- Large Proc.

## Applications

- Tectonics
- Volcanoes
- Landslides
- Subsidence




Mapped faults	Main earthquake events
Strike-slip inferred	★ 26/1/2014 ML 5,1
Strike-slip	★ 3/2/2014 ML 5,7
Reverse inferred	★ 26/1/2-14 ML 5,9
Reverse	
SARframes	
GPS stations	
cGPS	



# Earthquakes – Cephalonia case

- 3D crustal deformation from TerraSAR-X & COSMO-SkyMed data
- Inversion to estimate fault parameters




Merryman Bonciori et al., SRL 2015  
Διάστημα 2016 - Προκλήσεις και Προοπτικές- AFCEA HELLENIC  
CHAPTER, Αθήνα, 27 Ιανουαρίου 2016




# Earthquakes – Cephalonia case

Post-seismic slip, measured with COSMO-SkyMed data



Co-seismic slip,  
Lefkada EQ  
measured with  
S-1 data



## Earthquakes – Nepal

### Data


- NSN
- NOANET
- ENIGMA
- In-situ

### Services


- Geodesy
- Modeling
- Hazard Ass.
- Large Proc.

### Applications

- Tectonics
- Volcanoes
- Landslides
- Subsidence



# Volcanoes – Santorini case



Jan. 2011 –  
Mar. 2012  
inflation  
episode

Papoutsis  
et al., GRL  
2013



# Subsidence

## Data

NSN

NOANET

ENIGMA

In-situ

## Services

Geodesy

Modeling

Hazard Ass.

Large Proc.

## Applications


Tectonics

Volcanoes


Landslides

Subsidence

**Volos (2002 -2010)**



**Thessaloniki (1992 -2001)**



Driver: water over-pumping

Drivers:

- Over-pumping
- Natural compaction of deposits
- Tectonics



## Subsidence

### Data


- NSN
- NOANET
- ENIGMA
- In-situ

### Services

- Geodesy
- Modeling
- Hazard Ass.
- Large Proc.

### Applications

- Tectonics
- Volcanoes
- Landslides
- Subsidence







## UAV Assisted Loss Recording


Cephalonia Earthquake  
Feb 2014



## Cephalonia Island – Village of Mantzavinata



# EMS Risk&Recovery -Landslides Risk Assessment – Santa



Διάστημα 2016 - Προκλήσεις και Προοπτικές- AFCEA HELLENIC  
CHAPTER, Αθήνα, 27 Ιανουαρίου 2016



# EMS Risk&Recovery - Soil Erosion Risk Assessment – Santa Maria Azores



Διάστημα 2016 - Προκλήσεις και Προοπτικές- AFCEA HELLENIC CHAPTER, Αθήνα, 27 Ιανουαρίου 2016



# EMS Risk&Recovery - Landslides – South Pindus

Data


- NSN
- NOANET
- ENIGMA
- In-situ

Services

- Geodesy
- Modeling
- Hazard Ass.
- Large Proc.


Applications

- Tectonics
- Volcanoes
- Landslides
- Subsidence




# EMS Risk&Recovery - Landslides – South Pindus

## Landslide susceptibility model



Landslide susceptibility map



# EMS Risk&Recovery - Seismic Risk Mapping

Data

NSN

NOANET

ENIGMA

In-situ

## Services

Geodesy

Modeling

## Hazard Ass.

Large Proc.


## Applications

## Tectonics


## Volcanoes

Lec 10 slides


6/11




# BEYOND, European Center of Excellence for EO based Disaster Management



Global 3D climatology of  
aerosols and clouds  
LIVAS portal under BEYOND  
(1x1 degree resolution)



Global AOD at VIS (532 nm) from LIVAS 4-year averages of CALIPSO observations




LIVAS AOD evaluation against AERONET



**BEYOND / NOA FLEXPART**  
**Smoke Integrated Column**

**valid:09-06-2015 1300 UTC**  
**(Arbitrary Values)**



# BEYOND PHASE 2 – FOLLOW UP

## **At the regional level ...**




# GEO-CRADLE

ID	Participant Organisation Name	Country	Logo
1	National Observatory of Athens (NOA) - Coordinator	Greece	
2	Intech	Italy	
3	Cer	Greece	
4	Eur	Serbia	
5	Res	EU	
6	Tel	EU	
7	Cyr	EU	
8	TUI	UAE	
9	Spa	Saudi Arabia	
10	King Fahd University of Petroleum and Minerals (KFUPM)*	Switzerland	
11	World Radiation Center (PMOD/WRC)*	Egypt	
12	National Authority for Remote Sensing & Space Sciences (NARSS) (subcontractor to CEDARE)**	Morocco	
13	CIMA Research Foundation (CIMA)		
14	Academy of Athens (AOA)		
15	INOSENS (INS)		
16	European Association of Remote Sensing Companies (EARSC)		
17	EURISY		
18	EuroGeoSurveys (EGS)		
19	University of UAE (UUAE)*		
20	King Fahd University of Petroleum and Minerals (KFUPM)*		
21	World Radiation Center (PMOD/WRC)*		
22	National Authority for Remote Sensing & Space Sciences (NARSS) (subcontractor to CEDARE)**		
23	Royal Centre for Remote Sensing (CRTS) (subcontractor "in-kind" to EURISY)**		



## BEYOND PHASE 2 – FOLLOW UP




## BEYOND PHASE 2 – FOLLOW UP

At the regional level ...



## GEO-CRADLE



**Thank you for your attention!**

**For more information**

**<http://www.beyond-eocenter.eu>**



Διάστημα 2016 - Προκλήσεις και Προοπτικές- AFCEA HELLENIC  
CHAPTER, Αθήνα, 27 Ιανουαρίου 2016

